AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	HOWELL	, GERTRU	DE	_Operator	Well No.	.: 782	5(607	825)	
LOCATION:	Elevation:	1160'		_ Quadran	nale:	ROSED	ALE		
		OTTER		County:		BRAXT			•
	Latitude:		Feet South of			Min.		Sec	
			_ Feet West of						
Well Type: 0	OIL G	SAS X							
Company	EQT		Coal Op	perator	HUNTE	R M. BE	NNETTT	TRUST	
	1710 PE	NSYLVANI	A AVFor Owne			30X 166			
	CHARLEST	ON,WV 25	302		WESTO	1 WV 26	452		
			Coal O	perator				77.7	
	REX C.	RAY						RECE	VED
Permit Issue	ed Date	AUG,24	.2011						il & Gas
									701 CA CHES
STATE OF W	EST VIRGINIA		. Al	FFIDAVIT				OCT 1,6	2012
		SS:							
Kody		and (harles rork of plugging a	Maare	ما	رأم المساك سنا	WV	Depar	tment of
and say that th	ey are experie	nced in the w	ork of plugging a	and filling oil	De	wells andii	BY SWOLD		il Profession
well operator,	and panticipati	gu in the work	COT DILLOGING AN	d filling the	ADOVA W	ell sav th	at eald w	مو موسد بانور	
the <u>23rd</u>	day of	July	20 <u>12</u> and the v	vell was pl	ugged ar	nd filled in	the follow	ing manner	minionced on
TYPE	FRO	M	ТО		REMOV			LEFT	
GEL	1722		1881		" 171		3 1/2	2 98'	
CEMENT	1723		1508	8 5/8	<u>" 32</u>	18'		470'	
CEMENT	1352		1148				10" 16	50 '	
CEMENT CEMENT	1142 940		941						· ·
CEMENT	661		731	CASIN	G PERF	' @ 150	-100.8	50	
CEMENT	370		450						
CEMENT			SURFACE TO A POLY	T					
Description of	of monument:_	/" CASING	G(36" ABOUT	/E GROUI	ND) AP	T #47−(007-001	L59 ork of plugg	ring and filling
said well was g	Bunkip felt out at	19 3 15t day	of July	, 201	2.			oiv a biage	July 2010 mining
said well was c	۲۰۰۰ ۱۲۰ میر	ONIN.	Q 1/2						
And fugine	epppents sait	h.not.	100/0	2		_			
	PUBLIC 111073		Charle .	<u> </u>	,				
	MY COMMISSIO	N : -	Crearius .	11 con	<u></u>				
Swork and s	EXPIRES Defor	e.me tals 13	$\stackrel{\longleftarrow}{}$ day of $\stackrel{\frown}{}$	1110	. 20	12.			
₹ (J.)	·	En 1	day or	and a	, 20 <u></u>	<u></u>	0/		
My commissing	expires:	4514	· •	$-\Delta i$	ella	~m	SUM	٠ .	
•	Manney William				Notary	Public		_	
Affidavit review		e of Oil and G	as: MM	Clow	1		Tille: $\underline{\mathcal{I}}$	NSPec	to
			1			•	•	/	

AFFIDAVIT OF PLUGGING AND FILLING WELL

12 100.

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses. Farm name: f, Post-Sugn Operator Well No.: Post LOCATION: Elevation: 1073 Quadrangle: Weston S District: FIK County: Harrisah Latitude: _____Feet South of ___ Deg. ____ Min. ____ Sec. 4329449. 425 N Longitude: ______ Feet West of ______ Deg. _____Min. _____ Sec. 562596. 7 y 3 Well Type: OIL ____ GAS _X__ Company Class Deselogue Coal Operator 0000 2 Plum Run RJ, or Owner nus bors, W. V. 26415 Coal Operator // Ana LABAN Donald Hocf or Owner Permit Issued Date **AFFIDAVIT** STATE OF WEST VIRGINIA. County of _____ Abno Dincela Howand ___being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the Hug 3 day of Hug 2011 and the well was plugged and filled in the following manner: FROM PIPE REMOVED **LEFT** Description of monument: (4 入/ る 95 and that the work of plugging and filling OFFICIAL SEAL
STATE OF WEST VIRGINIA said well was completed on the 511 day of And further deponents saith not. NOTARY PUBLIC Pameia R. McCullough Ritchie County Public Library Pennsbere, WV 26415

My Commission Expires Dec; 31, 2020 Sworn and subscribe before me this 19th day of September 20 12 My commission expires: Dec - 30, 2020 Notary Public Affidavit reviewed by the Office of Oil and Gas:

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Ark Land KH		_Operator We	ll No.: <u>B.C.C.</u>	9769		
LOCATION:	Elevation: 1217	7-1-2-1	_ Quadrangle	: <u>Amerstdale</u>	e 7.5'		
	District: Logan		_ County:	Logan			
	Latitude:			_			
	Longitude:	Feet West of	Deg.	Min	Se	c.	
Well Type: 0	DIL GASX	<u> </u>					
Company	Joseph C. Pett	ey Coal O	perator Min	go Logan Coa	al Co		
	P 0 Box 385			ntain Laurel			
	Hamlin WV 2552			17 Box E Sha	arples WV	25183	
			Operator <u>Ark</u>	Land KH		this part also dies 0 to 8 to	the inc.
	Joseph C. Pet			y Place 1 Su		RECEIVE	
Permit Issu	ed Date <u>6/28/</u>	12	St.	Louis MO 63	3141	Office of Oil	4 Gas
STATE OF W	EST VIRGINIA,	,	AFFIDAVIT			OCT 1 5 20	112
	incoln ss:						
Joseph	Pettey and	d <u>Luke Beave</u>	r	being first duly	y sworn ace p	WV Departm ⊮nammandesse⊂	ent of Protectic
well operator,	ney are experienced in the and participated in the	work of plugging a	ind filling the ab	ove well say that	said work v	vas commenced on	
the oth	day of <u>Sept</u>	, 20 <u>1</u> 2 and the	well was plugg	jed and filled in t	he following m	anner:	
TYPE	FROM	ТО	PIPE RE	MOVED		EFT	
Cement	930'				ent		
Move in ri	g up set 25' 1	8-3/8" new con	nductor. Re	drill and c	lean out	to 930'	
Set solid	plug from 930'	to surface w	th unitrop	oic expandin	g cement.	No pipe in	
conductor.	er encountered Erect monume	nt with APT#	111 pipe na	d been remo	ved. Left	25' 13-3/8"	
101.C reg	ulations to al	low for mining	through v	rell.	according	LO MSHA	
	of monument: Erect				nat the work o	f plugging and filling	
said well was	completed on the 24	thday of Sept	, 2012.	and the		numumuminininininining	48444444444
And further	deponents saith not.	J.C. P.	ton			OFFICIAL SEAL Notary Public, State Of West MICHAEL E MINNEY	t Virginia
		Loke Be	m			233 Whispering Pine Alum Creek, WV 2500	na 🖹
Sworn and	subscribe before me th	is 4 day of 6	Detober,	, 2012	Sminimum.	Commission Expires Octob	er 7, 2022 E Hilling
My commission	n expires: <u>//-7-</u> 20	022	- Alland	15/2			
Affidavit review	ved by the Office of Oil	and Gas: Ralp	RD.Tr	Jotary Public	Title: Disk	nict Ingen	÷.

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	W.W. McDonald L.	and Co.	Operator Well	No.: 226		
	Elevation: 1279.00					
	District: Triadel	ohia	County	Locan	e /.5'	
	Latitude:	Feet South of	Dea	Min	C	
	Longitude:	Feet West of	Deg	Min	Sec.	
144 H == -				IVIII1	Sec.	
Well Type: (OIL GAS _X	_				
Company	Jackson Resource	s Co. Coal Ope	erator Band	lmill Coal C	Company	
	24 Second St	or Owne		Box 1076	- Campuny	
	Hamlin WV 25523		Ho1c	len WV 25625		
Agent	Dale Coleman	or Owne	erator	25025		199
Permit Issue	ed Date <u>5/09/12</u>				:	
		A.=				
STATE OF WI	EST VIRGINIA,		FIDAVIT			OCT OF 2012
County of L1	EST VIRGINIA, ncoln ss: Comas and ey are experienced in the				English .	2012
Roger Mc	Comas and	Oswald Wiley		being first duly	111	₹ ya
well operator.	and participated in the we	ric of minantana		as wens and were	e employed by the above	<i>w,</i> depose √e named
the 10th	and participated in the wo day ofSept	_, 20 <u>1</u> 2 and the w	tilling the abov ell was plugged	e well say that	said work was comme	enced on
TYPE	FROM				riollowing manner:	
Cement		TO 4541'- Latex	PIPE REM	OVED	LEFT	
		THE LICEN	Cement			
Description of	f monument:			and that	the work of plugging a	- 1 500
said well was co	empleted on the <u>14th</u> da	y of <u>Sept</u>	, 20 <u>12</u> _	and that		
And further de	eponents saith not.	rogen "	mylan	-001	OFFI	CIAL SEAL
	ß		(1) 1			tate Of West Virginia
O		th o	1 is		Alum Cred	ipering Pines ek, WV 25003
Sworn and su	bscribe before me this $\underline{\hat{\alpha}}$	20 day of _5-ρ	temper 3	12	amanamininan	ek, WV 25003 Cpires October 7, 2022
My commission e	expires: 10.7-2012	_	Milling	/2	<u> </u>	
		7	Nota	ry Public		
Affidavit reviewed	d by the Office of Oil and O	eas: Rocal	$\lambda 2.7_{\rm ms}$	O <i>late</i> Title	Wit 4	uspector)
		, ,	7	- IIIC	- mayer V	respector)

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Poling		_Operator Well No	o.: <u>45306</u> 1	····	
LOCATION:	Elevation: 999		_ Quadrangle: Q	Frant Town		
	District: Paw P		County: N		· · · · · · · · · · · · · · · · · · ·	
	Latitude:					
	Longitude:					
		1 001 17 031 01	Deg		Sec.	
Well Type: (OIL GAS _X	· 				
Company	EQT Production	Co. Coal O	perator Consc	ol Energy		
	1710 Pennsylva	nia Ave. or Own		Consol Ene	row Dr	
	Charleston, WV			sburg, PA		
		Coal O	perator			EIVED
		or Own	er			Oll & Gas
Permit Issu	ed Date05/2	1/2012				OH & Clas
STATE OF W	/EST VIRGINIA,	A	FFIDAVIT		OCT 1	6 2012
	oshur ss:				W/ Dana	etraamt al
Vorrin	Moto				Environment	irtment of
Kevin	and and and and and	Tim Marsh	t	peing first duly	.Environment	w depose
well operator	and participated in the	ne work of plugging a	and filling oil and ga	is wells and wer	e employed by the above	ve named
the 6th	day of <u>August</u>	2012 and the	well was plugged	well say that	said work was comme	enced on
			won was plugged	and mied in the	e lollowing manner:	
TYPE	FROM	TO	PIPE REMO	OVED	LEFT	
Cement	2190'	1590'	2" 0		2701 '	
Cement	1590 '	1455'	6" 0		1540'	
<u>Gel</u>	1455'	1200'	There was no	o 8" or 10		
<u>Cement</u>	1200'	991'				
Gel	991'	441'				
Cement	441'	128'				
<u>Cement</u> Cement	128'	48'				
Description	48' of monument:_8" pig	pe 5' above ord	ound with Ap	т #		The second secon
said well was	completed on the 5th	day of September		± m and ma	the work of plugging	
		1	20_14	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	NOTAL	CIAL SEAL RY PUBLIC
And further	deponents saith not.	Samothy	Marsh		DENISE	WEST VIRGINIA
		Kerin 2000	3,		BUCKHANI	INCOLN ST. VON, WV 26201 Expires June 12, 2016
Sworn and	subscribe before me thi	s <u>7 </u>	sternber, 20	13	0/1 -	
My commission	n expires: ()	2, 2016	Denise	H. Tul	lian	
			/ ·	y i-ublic		
Affidavit review	ved by the Office of Oil a	and Gas:	u placelus	Tit	e: ÉDONTOTMEN	Xal I popecto
		9-7-	10			

AFFIDAVIT OF PLUGGING AND FILLING WELL

LOCATION: Elevation: 1119¹ Quadrangle: Blacksville District: Paw Paw County: Marion Latitude: Feet South of Deg. Min. Sec. Longitude: Feet West of Deg. Min. Sec. Well Type: OIL GAS X Company EQT Production CompanyCoal Operator 1710 Pennsylvania Ave. or Owner Charleston, WV 25302 Office of Oil & Gas
District: Paw Paw County: Marion Latitude: Feet South of Deg. Min. Sec. Longitude: Feet West of Deg. Min. Sec. Well Type: OIL GAS X Company EQT Production CompanyCoal Operator 1710 Pennsylvania Ave. or Owner Charleston, WV 25302 Office of Oil & Gas
Latitude:Feet South ofDegMinSec. Longitude:Feet West ofDegMinSec. Well Type: OILGAS _X Company
Well Type: OIL GAS _X Company
Well Type: OIL GAS _X Company
Company EQT Production CompanyCoal Operator 1710 Pennsylvania Ave.or Owner Charleston, WV 25302 None RECEIVED Office of Oil & Gas
1710 Pennsylvania Ave.or Owner RECEIVED Charleston, WV 25302 Office of Oil & Gas
Charleston, WV 25302 Office of Oil & Gas
Coal Operator
Agent Cecil Ray or Owner Permit Issued Date 05/07/2012
AFFIDAVIT WV Department of
STATE OF WEST VIRGINIA,
County of <u>Upshur</u> ss:
Kevin Metz and Tim Marsh being first duly sworn according to law depose
and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named
well operator, and participated in the work of plugging and filling the above well say that said work was commenced on
the <u>17th</u> day of <u>July</u> , 20 <u>1</u> 2 and the well was plugged and filled in the following manner:
TVDE FDOM TO
TYPE FROM TO PIPE REMOVED LEFT
TYPE FROM TO PIPE REMOVED LEFT Cement 2918' 2843' 5 3/16" 174' 1037'
TYPE FROM TO PIPE REMOVED LEFT Cement 2918' 2843' 5 3/16" 174' 1037' Cement 2651' 2580' 6 5/8" 352' 1364'
TYPE FROM TO PIPE REMOVED LEFT Cement 2918' 2843' 5 3/16" 174' 1037' Cement 2651' 2580' 6 5/8" 352' 1364' Cement 2580' 1738' 8 1/4" 0' 1246'
TYPE FROM TO PIPE REMOVED LEFT Cement 2918' 2843' 5 3/16" 174' 1037' Cement 2651' 2580' 6 5/8" 352' 1364' Cement 2580' 1738' 8 1/4" 0' 1246' Cement 1738' 1648' 10" 0' 452'
TYPE FROM TO PIPE REMOVED LEFT Cement 2918' 2843' 5 3/16" 174' 1037' Cement 2651' 2580' 6 5/8" 352' 1364' Cement 2580' 1738' 8 1/4" 0' 1246' Cement 1738' 1648' 10" 0' 452' Cement 1320' 1208' 1208' 1208'
TYPE FROM TO PIPE REMOVED LEFT Cement 2918' 2843' 5 3/16" 174' 1037' Cement 2651' 2580' 6 5/8" 352' 1364' Cement 2580' 1738' 8 1/4" 0' 1246' Cement 1738' 1648' 10" 0' 452' Cement 1320' 1208' 380' 380' 380'
TYPE FROM TO PIPE REMOVED LEFT Cement 2918' 2843' 5 3/16" 174' 1037' Cement 2651' 2580' 6 5/8" 352' 1364' Cement 2580' 1738' 8 1/4" 0' 1246' Cement 1738' 1648' 10" 0' 452' Cement 1320' 1208' Cel 1200' 480' Cement 480' 145' Con't on back
TYPE FROM TO PIPE REMOVED LEFT Cement 2918' 2843' 5 3/16" 174' 1037' Cement 2651' 2580' 6 5/8" 352' 1364' Cement 2580' 1738' 8 1/4" 0' 1246' Cement 1738' 1648' 10" 0' 452' Cement 1320' 1208' Gel 1200' 480' Cement 480' 145' Con't on back Description of monument: 6 5/8"pipe 7' above ground with API#and that the work of plugging and filling
TYPE FROM TO PIPE REMOVED LEFT Cement 2918' 2843' 5 3/16" 174' 1037' Cement 2651' 2580' 6 5/8" 352' 1364' Cement 2580' 1738' 8 1/4" 0' 1246' Cement 1738' 1648' 10" 0' 452' Cement 1320' 1208'
TYPE FROM TO PIPE REMOVED LEFT Cement 2918' 2843' 5 3/16" 174' 1037' Cement 2651' 2580' 6 5/8" 352' 1364' Cement 2580' 1738' 8 1/4" 0' 1246' Cement 1738' 1648' 10" 0' 452' Cement 1320' 1208' Gel 1200' 480' Cement 480' 145' Con't on back Description of monument: 6 5/8"pipe 7' above ground with API#and that the work of plugging and filling said well was completed on the 6th day of August 20 12 OFFICIAL SEAL MOTARRY PLIES IC
TYPE FROM TO PIPE REMOVED LEFT Cement 2918' 2843' 5 3/16" 174' 1037' Cement 2651' 2580' 6 5/8" 352' 1364' Cement 2580' 1738' 8 1/4" 0' 1246' Cement 1738' 1648' 10" 0' 452' Cement 1320' 1208' Gel 1200' 480' Cement 480' 145' Con't on back Description of monument: 6 5/8"pipe 7' above ground with API#and that the work of plugging and filling said well was completed on the 6th day of August 2012 And further deponents saith not. OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VINCINIA
TYPE FROM TO PIPE REMOVED LEFT Cement 2918' 2843' 5 3/16" 174' 1037' Cement 2651' 2580' 6 5/8" 352' 1364' Cement 2580' 1738' 8 1/4" 0' 1246' Cement 1738' 1648' 10" 0' 452' Cement 1320' 1208' Gel 1200' 480' Cement 480' 145' Con't on back Description of monument: 6 5/8"pipe 7' above ground with API#and that the work of plugging and filling said well was completed on the 6th day of August 20 12 And further deponents saith not. To PIPE REMOVED LEFT 1037' 1046' 105 452' Cement 1320' 480' Con't on back Description of monument: 6 5/8"pipe 7' above ground with API#and that the work of plugging and filling Starte Of West vincinna Denise H. Pulliams ABV LINCOLN ST.
TYPE FROM TO PIPE REMOVED LEFT Cement 2918' 2843' 5 3/16" 174' 1037' Cement 2651' 2580' 6 5/8" 352' 1364' Cement 2580' 1738' 8 1/4" 0' 1246' Cement 1738' 1648' 10" 0' 452' Cement 1320' 1208' Gel 1200' 480' Cement 480' 145' Con't on back Description of monument: 6 5/8"pipe 7' above ground with API#and that the work of plugging and filling said well was completed on the 6th day of August 20 12 And further deponents saith not. TO PIPE REMOVED LEFT 1037' 104' 0' 1246' 0' 452' Cement 1320' 1208' Gel 1200' 480' Cement 480' 145' Con't on back Description of monument: 6 5/8"pipe 7' above ground with API#and that the work of plugging and filling said well was completed on the 6th day of August 20 12 OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA DENISE H. PULLIAMS
TYPE FROM TO PIPE REMOVED LEFT Cement 2918' 2843' 5 3/16" 174' 1037' Cement 2651' 2580' 6 5/8" 352' 1364' Cement 2580' 1738' 8 1/4" 0' 1246' Cement 1738' 1648' 10" 0' 452' Cement 1320' 1208' Gel 1200' 480' Cement 480' 145' Con't on back Description of monument: 6 5/8"pipe 7' above ground with API# and that the work of plugging and filling said well was completed on the 6th day of August 20 12 And further deponents saith not. And further deponents saith not.
TYPE FROM TO PIPE REMOVED LEFT Cement 2918' 2843' 5 3/16" 174' 1037' Cement 2651' 2580' 6 5/8" 352' 1364' Cement 2580' 1738' 8 1/4" 0' 1246' Cement 1738' 1648' 10" 0' 452' Cement 1320' 1208' Gel 1200' 480' Cement 480' 145' Con't on back Description of monument: 6 5/8" pipe 7' above ground with API# and that the work of plugging and filling said well was completed on the 6th day of August 20 12 And further deponents saith not. Manual Sworn and subscribe before me this 40 of August 20 12 Sworn and subscribe before me this 40 of August 20 12 Sworn and subscribe before me this 40 of August 20 12 Sworn and subscribe before me this 40 of August 20 12
TYPE FROM TO PIPE REMOVED LEFT Cement 2918' 2843' 5 3/16" 174' 1037' Cement 2651' 2580' 6 5/8" 352' 1364' Cement 2580' 1738' 8 1/4" 0' 1246' Cement 1738' 1648' 10" 0' 452' Cement 1320' 1208' Gel 1200' 480' Cement 480' 145' Con't on back Description of monument: 6 5/8" pipe 7' above ground with API# and that the work of plugging and filling said well was completed on the 6th day of August 20 12 And further deponents saith not. And further deponents saith not. Sworn and subscribe before me this 9th day of August 20 12 My commission expires: 4220' My commission expires June 12, 2018 My commission expires June 12, 2018
TYPE FROM TO PIPE REMOVED LEFT Cement 2918' 2843' 5 3/16" 174' 1037' Cement 2651' 2580' 6 5/8" 352' 1364' Cement 2580' 1738' 8 1/4" 0' 1246' Cement 1738' 1648' 10" 0' 452' Cement 1320' 1208' Gel 1200' 480' Cement 480' 145' Con't on back Description of monument: 6 5/8" pipe 7' above ground with API# and that the work of plugging and filling said well was completed on the 6th day of August 20 12 And further deponents saith not. Manual Sworn and subscribe before me this 40 of August 20 12 Sworn and subscribe before me this 40 of August 20 12 Sworn and subscribe before me this 40 of August 20 12 Sworn and subscribe before me this 40 of August 20 12

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm Name:		James E. Eddy		Operator \				
Location:	Elevatio			Quadrang	le: _	Blacksvi		
	District:			County:	_	Monong		<u> </u>
	Latitude		Feet South of:		_ Deg	Mii		Sec.
	Longitu	de:	Feet West of: _		Deg.	Mir	ns	Sec.
Well Type:	Oil X	Gas	WIW					
Company: _		sources Inc.		Coal Oper	ator _		ergy - Michele C)'Neil
		upont Road		or Owner	_	RD 4, Box 4		
		burg, WV 26101			_		, WV 26041	
Agent: _	Philip S	. Ondrusek		Coal Oper or Owner	ator _	NA	· · · · · · · · · · · · · · · · · · ·	
Permit Issue	d:	6/27/12		OI OWNER	_			
			AFFI	DAVIT				
State of Wes	t Virginia,	County of	Wood		ss:			
Phi	l Ondruse	k and	Ke	en Dotson		being first o	luly sworn accor	ding to
		at they are experien			fillina oi		•	-
		d participated in the						
•	Sth day						in the following i	
					DE DE	MOVED		
TYP	E	FROM	TO			MOVED	LEFT	
Cement		2060'	1730' (T		5/8"	350'	1325'	
Cement		908'	563' (Ta		3/16"	1625'	<u>0'</u>	
Cement		420'	227' (Ta	g)				
Cement		100'	0'					
		D: 16 5/6	NI C	000L0 Th		-1 5 7001	C001	
		Ripped 6 5/8	B" Casing From 900'	- 800' & Thr	ougn Co	al From 700' -	600'.	
		* NO 8 1/4"	Casing In Well				<u></u>	
		110 0 27 1						
C0/ Cal /	Johnson C	ament Dives						
6% Ger i	setween C	ement Plugs						
Description of	of monum	ent:	7" × 5'			and that the wo	ork of plugging	r' .
and filling sa	id well wa	s completed on the	17th (day of	Se	eptember	20 <u>12</u>	
_								
And further	deponents	saith not.	1×//1	11222				
	,			THE STATE OF THE S			C. E.	, J
			Shouth	MAN	W	40	120	
Sworn and s	ubscribed	before me this		day of	Octo	ber	,20_12	
My commiss	ion expire:	s: Nov. (2	,2018					3
		/	$\overline{}$			WALLE OF THE PARTY		IAL SEAL
Notary Publi	·	Time of t	<i>)</i>			159 3 3		Y PUBLIC /EST VIRGINIA
rtotary r abii		ina of					TINA L.	PETHTEL
Affidavit revi	iewed by t	he	2 () 2.2	i de			7 5260 Dui	ergy, LLC pont Road
Office of Oil	and Gas:		Lllan	II.		HEM!	Parkersburg, We My Commission Ex	st Virginia 26101 pires Nov. 12, 2018
Title:	3:14	Sas Inspec	tro					
	<u> </u>							

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	J.W.W	ILSON		_Operator We	ll No.: 106	0(654076)	
LOCATION:	Elevation:	986		_ Quadrangle	E PENNS	BORO	· _
	District: _	CLAY		_ County:	RITCHIE		
	Latitude:		Feet South of	-			_
			 Feet West of				
Well Type: 0	OIL	GAS X	_				
Company	EQT		Coal O	perator MA	ARK & NOREE	N LESKOWITZ	
	1710	PENNSYLVAN	IA AVE or Own		3 BOX 139A		
	CHARLESTO	N,W 2530)2	PEN	INSBORO WV	26415-947	
	~~~~			perator			RECEIVED
Agent	CECIL		or Own				Office of Oil & Gas
Permit Issu	ed Date	MAY,03	,2012				
				AFFIDAVIT			007 1 6 2012
STATE OF W		<del>114</del> , K)	•				
County of	Floyd	ss:					WV Department of
hall	Hi-	and	Charles	Moore	heina first d	uly sworn ac	Aile Brose
and say that t	ney are expe		work of plugging	and filling oil an	nd gas wells and	were employed by t	he above named
	, and particip	ated in the w	ork of plugging a	nd filling the at	pove well say th	at said work was	s commenced on
the	day of _	aug	, 20 <u>12</u> , and the	well was plug	ged and filled in	the following man	ner:
TYPE	FF	ROM	ТО	PIPE R	EMOVED	LEF	<del></del>
GEL	2	018	0				
CEMENT	1	890	1765				
CEMENT	1	764	1587	6 5/8 61	7'	1212'	
CEMENT	1	323	1152	10" 25'		223'	
CEMENT	1	073	965	CASING PE	ERF @ 1312.	1249,1026,1	1006,983,
CEMENT		661	474	903.2	200,150	ļ	
CEMENT		315	SURFACE			196 HOLES TO	
Description	of monumer	nt: 7" CASI	ING WITH (36	5" ABOVE G	ROUND) API	# 47-085-03 that the work of pl	1931 Jugging and filling
said well was	completed or	n the 8th	day of	, 2012		and the work of pr	logging and thing
And further	of monumer completed of deponents s M. S NOTARY PUBLIC	saith nat	Redo		_		
And runner	Markon in 112 s	odiui not.	Cilo				
ELEVEL CO	,		Charle	a mos	nc_		
	PUBLIC		12th /	2	10		
Swarn and	MY COMMISS	31016 1116 1115	day of	ma_	_, 20_1	0 1	
My consmission	MY COMMISS	74-14	,	X	elle on	Stone	
My consmission	2/4/2014	· Fig			Notary Public		
Constitution of the state of th	TEATIAR	GE WHEN	***************************************	מ ה	•	А	_
Affidavit revie	Wed, hy, the Q	ffice of Oil an	d Gas: _	Ske Coun	<u>~</u>	Title: Joy Va	as inspection

RT. 1 BOX 2 GIVEN, WV 25245 My commission expires June 3, 2020

# STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS

REVISED

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD   Operator and the third	BE IN TRIPLICA copy (and extra c	TE, one copy opies if require	mailed to	the Di	ivision, one ailed to eacl	copy to be the coal operate	retained by the Well or at their respective	
addresses. Farm name:	PM Furbee			Opera	ator Well N	<b>o</b> .: No. 2	O	
LOCATION:	Elevation: 102	6'	<del></del>		rangle:		<u></u>	
	District: McEl				ty:		······································	
	Latitude:	Feet South	of 00	Deg.		00 Sec.		
	Longitude:	Feet West		Deg.		00 Sec.		
Well Type:	OIL X	GAS	XXXX	_				
Company:	Gastar Explorat				Operator _	NA		
	229 W. Main Str		_	or ow	ner _			
	Clarksburg, WV	26301			_	<del></del>		
					_			
				Cool				
Agent:	Mike McCown				Lessee declaration	NA I		
Permit Issued Date:	12/09/2011							
		AF	FIDAVIT	•				
STATE OF WEST VIRO	CINIA							
County of Tyler	•							
Oddity of	55.							
.lacob	Snider	and lacki	- Carneni	or		hoine	first duly swarn	
according to law depos	se and say that the	_ and <u>Jackie</u> ev are experie	nced in t	he work	of plugging	Deing	g first duly sworn	
were employed by the	above named w	ell onerator a	nd nartic	nated i	n the work	of plugging	and filling the chave	
well, andJoe Ta	vlor	Oil and Gas	Inspecto	r renrec	enting the	Director say	that said work was	
commenced on the	16th day of	February 20	112	and t	that the we	ell was nlugg	ed and filled in the	
following manner:					indi ino wo	was plagg	ca and illea in the	
TYPE	FROM		TO		PIPE R	EMOVED	LEFT	-
Cement		1965'		1860'	5 1/2 "	0'	No Red	Or(
Cement		1300'		1200'	7.2		110 1100	<u> </u>
Cement		851'		750'	7 "	0'	1922 '	
Cement		635'		530'	10"	No	10" in well	
Cement	·	530'		100'		140	10 III WCII	_
Cement		100'		0,	13"	No	13" in well	_
Cement							10 111 11011	
6% Gel between each	plug							
Shot 5 1/2" @ 1254'; 1 t	time; 807'; 1 time;	583': 1 time: I	Free: 393	': 1 time	294' 1 tim	e: 192': 1 tim	e: 99': 1 time: Tagg	<u>-</u>
plug @ 1857'; 738'; Tag	g 100'; Tried to ba	ack off and cou	ıld not ba	ck 5½"	off and 7".	,,	io, oo , i tiirio, i agg	<i>,</i> u
Description of monume		asing – 8 feet	long with	API#w	velded on it	and t	hat the work of	
plugging and filling said	well was comple	ted on the	22nd	day o				
		0		_ ′		- 1	<del></del>	
And further deponents:	saith not.	Jacon 1	adoro					
Sworn and subscribe befo	ore me this 5	45	day of		ac 1	-61-	2012	
My commission expires		re 7.		O			2012	
	7)		CAA	100	7 . ~	/ D/	2010	
OCTIONAL OCT.			7 <u>//</u>	YU	ne 4	A	UN NO	
OFFICIAL SEAL STATE OF WEST VIRG NOTARY PUBLIC	<b>. &gt;</b>	ا م	Salar	?	Notary Pu	ublic		
MILDRED L. CAS	T⊗il and Gas Insp	pector	1.0	- And State of the	" And the same name of the same of the sam			

# STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Spencer	Kurbe	e		Oper	ator V	Vall N	امر	1		
LOCATION:	Elevation:		1224"						y 7.5		
200/11011	District:	McElroy				ity:					
	Latitude:	Feet	South of	. 00	Deg.				Sec.		
	Longitude:	Feet	West of		Deg.			. 00			
Well Type:	OIL X	<del></del>	GAS	xxxx	<del></del>						
Company:	Gastar Explora				Coal	Opera	ator		NA		
	229 W. Main S Clarksburg, W				or ov	vner					
						Lesse			NA		
Agent:	Mike McCown				With	decla	ratio	n		<del></del>	
Permit Issued Date:	12/09/2011		AFFII	DAVIT	ı						
STATE OF WEST VIR	GINIA			•							
County of Tyler	•										
Jacob	Snider	and	Jackie C	arpent	er				bein	g first duly sworn	
according to law depos	se and say that t	hey are	experienc	ed in the	ne wor	k of pl	luggii	ng and	l filling o	oil and gas wells and	
were employed by the											
well, andJoe Ta	aylor	Oil an	d Gas Ins	specto	r repre	esentin	g the	Direc	ctor, say	y that said work was	
commenced on the	<u>13th</u> day of	April,20	12 and th	nat the	well w	as plu	gged	and f	lled in t	the following manner:	
TYPE	FROM			ТО		P	IPE I	KEMIC	VED	LEFI	
Cement		2275'	······		2075				16'	211	
Cement		1670'			1550				<u>511'                                   </u>	No Reco	rd
Cement		985'			880				0,	None in Well	
Cement		560'			460				300'	0	
Cement		450'		150'		2 3/	<u>′8"</u>	2	305'	0	
Cement		150'			62						
Cement		62'			0	'					
Cement					· · · · · · · · · · · · · · · · · · ·						
· · · · · · · · · · · · · · · · · · ·						+				<del> </del>	
Tagged plug @ 2078; 103';	860; 150; 62; S	hot 5 1/2"	casing @	1622	'; 933';	; 511';	Free	; Sho	t 6" @ 4	199'; 402'; 305'; 204';	
Description of monume work of plugging and fi	ent: 7 inch illing said well wa	casing – as comple	8 feet loneted on the	ng with ne	API # 19 th	Welde day of	ed on		l, 2012	and that the	
And further deponents	saith not.	Jason	Macon	das				•			
Sworn and subscribe before		5 + 5	. 20	day of	<u></u>	2 A	0	be	<u>^</u>		
My COMMISSION PROPERTY OF WEST VIRGO	iinia & //	<u></u>	/	<u> </u>	1	101	_	_1	1	3000	
NOTARY PUBLIC				$-\mathcal{I}$	nu		uc	× 0		<u>U</u>	
RT. 1 BOX 2 GIVEN, WV 25245	<b>'A</b>	anaatar		e de la companya de l		Nø	táry I	Public			

Farm name:

PM Furbee

#### STATE OF WEST VIRGINIA **DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS**

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name:	PM Furbee			_	Oper	rator \	Well N	o.:	No.8	
LOCATION:	Elevation: 10	02'		_			le: S			
	District: McE	Elroy			Cou	nty:		yler		
	Latitude:	Feet	South o	of 00		00			Sec.	<del></del>
	Longitude:	Feet	West of			00	Min.		Sec.	
Well Type:	OIL X	_	GAS_	XXXX	<b>-</b>					•
Company:	Gastar Explora	tion. Ltd	1_		Coal	Oper	ator _		NA	
<b>,</b> -	229 W. Main S		···	_		vner				
•	Clarksburg, W			_			-			
				_						
							_			
				_	Coal	Less	ee _		NA	
Agent:	Mike McCown			_	With	decla	aration			
D	12/00/2011									
Permit Issued Date:	12/09/2011		A 1717	ID A WIT						
	•		AFF.	IDAVIT						
STATE OF WEST VIR	CINIA									
County of Tyler	•									
County ofTylei	55.									
lacob	Snider	and	Jackie	Carnent	ar .				heina	first duly sworn
according to law depos										
were employed by the										
well, andJoe Ta										
commenced on the	09 day of	Janua	arv 2012	and th	at the	well	was p	lugge	d and fi	lled in the following
manner:				_			•			· ·
TYPE	FROM			TO			PIPE R	EMO	VED	LEFT
Cement		1875'			1770	' Ro	ds	20	00,	
Cement		1235'			1085		3/8"	18	80'	20
Cement		673'			580		/2"	3	97'	56
Cement		450'			150	' 7"			0'	187
Cement		113'			0'					
Cement										
Cement										
6% Gel between each										
Shot 2 3/8" @ 1880' 1	time; Free; Shot	5 1/2 " @	1183'; 1	time; 6°	19'; 1	time 3	397'; 1	Time	; Free; S	hot 7" @ 386'; 1 time;
305' 1 time; 201'; 2 tim		; Free; ヿ	Гagged р	lug @ 10	040'; 8	580'; 1	i 13'; re	set p	lug 675'	<ul> <li>570' Tried to back o</li> </ul>
and could not back 7"	off.									
Description of monume			- 8 feet lo							nat the work of
plugging and filling said	d well was compl	eted on	the	<u> 1st </u>	_day	ot	Februa	ary 2	2012	<u>~~.</u>
والمستوال والمستوال		$\circ$	<b>.</b>					17	. 11 T	
And further deponents	141 4	( kam	/nca	deres_						
	saith not.	7				~	,			
Sworn and subscribe before		44		_day of	_ (	<u>ع 2</u>	to	<u>6e</u>	<u> </u>	, 2012
Sworn and subscribe before My commission expires	ore me this5	44	3 ₂ 2	_day of	0	<u>ے د</u> —	to	<u>6e</u>	<u> </u>	2012
My commission expire	ore me this 5	44	3,2		0	<u>) c</u>	to	be P		2012
My commission expire	ore me this 5	+ + L	2/2		0	d	ه و	be P		2012 Cas Lo
My commission expire	ore me this	42			0 1 D	oly No	+o e o otary P	ublic	200	2012 Ca 5 Lo
My commission expire	ore me this	spector	3 - 2 		0 D	oly No	ه و	ublic		2012 Cas Lo
My commission expire	SEAL ST VIRGINIA UBLIC CASTO C	spector	3 		0	2 C	ه و	ublic		2012 Cas Lo

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Lorentz		Operator Well	No.: 607964		
LOCATION:	Elevation: 1650 °		Quadrangle:	Berlin		
		nnon				
		Feet South of				
		Feet West of				
Well Type: 0	DIL GAS _X					
Company	EQT Production	Company Coal Op	erator MLOM	, LLC.		
	1710 Pennsylva		r PO B	ox 470		<del></del>
	Charleston, WV		Brid	geport, WV	26330 RECEIVED	<u> </u>
Agent	Cecil Ray	Coal Op or Owne			Office of Oil &	Gas
Permit Issue		7/2011			0071462849	<del></del>
		Al	FFIDAVIT		OCT 1 6 2012	
	EST VIRGINIA, o <u>shur</u> ss:				WV Departme	nt of
Max Lal	nman an	d Tim March		heina firet dub	Environmental Prosper sworn according to law de	otection
and say that th	ney are experienced in t	the work of plugging a	nd filling oil and	gas wells and we	ere employed by the above n	amed
well operator,	and participated in the	work of plugging an	d filling the abo	ve well say that	said work was commence	d on
the 1()th	VIII. to veh	20 12 and that	voll woo nivers	of and filled in A	h = £= H== day	u 011
the 10th	day of <b>July</b>	, 20 <u>1</u> 2 and the v	well was plugge	ed and filled in the	he following manner:	u 011
TYPE	day ofJulyFROM	, 20 <u>1</u> 2 and the v	vell was plugge	ed and filled in the	he following manner:	
TYPE Cement	day of	, 20 <u>1</u> 2 and the v	PIPE REI	MOVED 950"	he following manner:  LEFT  1799	
TYPE Cement Gel	FROM 4752' 4475'	, 20 <u>1</u> 2 and the value of	PIPE REI 6 5/8" 8 3/4"	MOVED 950' 0'	he following manner:  LEFT  1799' 1116'	
TYPE Cement Gel Cement	FROM 4752' 4475' 2842'	TO 4475' 2842' 2678'	PIPE REI	MOVED 950"	he following manner:  LEFT  1799	
TYPE Cement Gel Cement Cement	FROM 4752' 4475' 2842' 2542'	TO 4475' 2842' 2678' 2165'	PIPE REI 6 5/8" 8 3/4"	MOVED 950' 0'	he following manner:  LEFT  1799' 1116'	
TYPE Cement Gel Cement Cement Cement	FROM 4752' 4475' 2842' 2542' 2065'	TO 4475' 2842' 2678' 2165' 1755'	PIPE REI 6 5/8" 8 3/4"	MOVED 950' 0'	he following manner:  LEFT  1799' 1116'	
TYPE Cement Gel Cement Cement Cement Cement	FROM 4752' 4475' 2842' 2542' 2065' 1790'	TO 4475' 2842' 2678' 2165' 1755' 1252'	PIPE REI 6 5/8" 8 3/4"	MOVED 950' 0'	he following manner:  LEFT  1799' 1116'	
TYPE Cement Gel Cement Cement Cement Cement Cement	FROM 4752' 4475' 2842' 2542' 2065' 1790' 1755'	TO 4475' 2842' 2678' 2165' 1755'	PIPE REI 6 5/8" 8 3/4"	MOVED 950' 0'	he following manner:  LEFT  1799' 1116'	
TYPE Cement Gel Cement Cement Cement Cement Cement Cement	FROM 4752' 4475' 2842' 2542' 2065' 1790' 1755' on back	TO 4475' 2842' 2678' 2165' 1755' 1252'	PIPE REI 6 5/8" 8 3/4" 10"	MOVED 950' 0'	LEFT 1799' 1116' 304'	S S S S S S S S S S S S S S S S S S S
TYPE Cement Gel Cement Cement Cement Cement Cement Gel Cement Cement	FROM  4752' 4475' 2842' 2542' 2065' 1790' 1755' on back of monument: 7" pi	TO 4475' 2842' 2678' 2165' 1755' 1252' 1252'  pe 4' above gro	PIPE REI 6 5/8" 8 3/4" 10"	MOVED 950' 0'	LEFT 1799' 1116' 304'	S S S S S S S S S S S S S S S S S S S
TYPE Cement Gel Cement Cement Cement Cement Cement Gel Cement Cement	FROM 4752' 4475' 2842' 2542' 2065' 1790' 1755' on back	TO 4475' 2842' 2678' 2165' 1755' 1252' 1252'  pe 4' above gro	PIPE REI 6 5/8" 8 3/4" 10"	MOVED 950' 0'	LEFT 1799' 1116' 304'	illing FAL BLIC
TYPE Cement Gel Cement Cement Cement Cement Cement Cement Cement Sel Cement Cont' Continuous aid well was continuous aid well well well aid well well aid well well aid	FROM  4752' 4475' 2842' 2542' 2065' 1790' 1755' on back of monument: 7" pi	TO 4475' 2842' 2678' 2165' 1755' 1252' 1252'  pe 4' above gro	PIPE REI 6 5/8" 8 3/4" 10"	MOVED 950' 0'	LEFT 1799! 1116! 304!  The work of plugging and official se NOTARY PU STATE OF WEST V DENISE H. PU	Ming Andrew Market Mark
TYPE Cement Gel Cement Cement Cement Cement Cement Cement Cement Sel Cement Cont' Continuous aid well was continuous aid well well well aid well well aid well well aid	FROM  4752' 4475' 2842' 2542' 2065' 1790' 1755' on back of monument: 7" pi completed on the 1st	TO 4475' 2842' 2678' 2165' 1755' 1252' 1252'  pe 4' above gro	PIPE REI 6 5/8" 8 3/4" 10"	MOVED 950' 0'	LEFT 1799' 1116' 304'  Tat the work of plugging and official se NOTARY PU STATE OF WEST	EAL PLIC VIRGINIA PLILIAM NET. NET. NET. NET. 22200
TYPE Cement Gel Cement Cement Cement Cement Cement And further	FROM  4752' 4475' 2842' 2542' 2065' 1790' 1755' on back of monument: 7" pi completed on the 1st	TO 4475' 2842' 2678' 2165' 1755' 1252' 1252' 1252'  day of August  MMM MM Ammunia  A	PIPE REI 6 5/8" 8 3/4" 10"	MOVED 950' 0' 0' API# and the second	LEFT 1799' 1116' 304'  The work of plugging and official se NOTARY PU STATE OF WEST V DENISE H. PU 49 W. LINCOLF BUCKHANNON, W	EAL PLIC VIRGINIA PLILIAM NET. NET. NET. NET. 22200
TYPE Cement Gel Cement Cement Cement Cement Cement And further Sworn and	FROM  4752' 4475' 2842' 2542' 2065' 1790' 1755' on back of monument: 7" pi completed on the 1st deponents saith not.	TO 4475' 2842' 2678' 2165' 1755' 1252' 1252'  pe 4' above groday of August   MMM Landau    MMM Landau    MMM Landau    MMM Landau    MMM Landau    MMM Landau    MMM Landau    MMM Landau     MMM Landau     MMM Landau      MMM Landau	PIPE REI 6 5/8" 8 3/4" 10"	MOVED 950' 0'	LEFT 1799' 1116' 304'  The work of plugging and official se NOTARY PU STATE OF WEST V DENISE H. PU 49 W. LINCOLF BUCKHANNON, W	EAL PLIC VIRGINIA PLILIAM NET. NET. NET. NET. 22200
TYPE Cement Gel Cement Cement Cement Cement Cement And further	FROM  4752' 4475' 2842' 2542' 2065' 1790' 1755' on back of monument: 7" pi completed on the 1st deponents saith not.	TO 4475' 2842' 2678' 2165' 1755' 1252' 1252' 1252'  day of August  MMM MM Ammunia  A	PIPE REI 6 5/8" 8 3/4" 10"  Dund with in 2012.  See Leave and the control of the	MOVED 950' 0' 0' API# and the second	LEFT 1799' 1116' 304'  The work of plugging and official se NOTARY PU STATE OF WEST V DENISE H. PU 49 W. LINCOLF BUCKHANNON, W	EAL PLIC VIRGINIA PLILIAM N. ST. V. 262501
TYPE Cement Gel Cement Cement Cement Cement Cement Cont' Con	FROM  4752' 4475' 2842' 2542' 2065' 1790' 1755' on back of monument: 7" pi completed on the 1st deponents saith not.	TO  4475' 2842' 2678' 2165' 1755' 1252' 1252' 1252'  day of August  Multiple August  A	PIPE REI 6 5/8" 8 3/4" 10"  Dund with in 2012.  See Leave and the control of the	MOVED 950' 0' 0' API# aport	LEFT 1799! 1116! 304!  The work of plagging and OFFICIAL SE NOTARY PU STATE OF WEST NOTARY PU STATE OF	EAL PLIC VIRGINIA PLILIAM N. ST. V. 262501